



Science News

[Share](#)
[Blog](#)
[Cite](#)

[Print](#)
[Bookmark](#)
[Email](#)

New Quartet of Ant Genomes Sequenced

ScienceDaily (Feb. 1, 2011) — "Look to the ant thou sluggard and consider her ways and be wise." This proverbial wisdom was taken to heart recently by an international group of ant experts who have published the genome sequences of four ants in a series of coordinated releases in the journal *Proceedings of the National Academy of Sciences* (PNAS). The quartet includes the genomes of the red harvester ant *Pogonomyrmex barbatus*; the Argentine ant *Linepithema humile*; the fire ant *Solenopsis invicta*, and the leaf-cutter ant *Atta cephalotes*, whose genome will be published on Feb. 10 in *Public Library of Science (PLoS) Genetics*.

See Also:

Plants & Animals

- Invasive Species
- Insects (and Butterflies)
- Evolutionary Biology

Earth & Climate

- Exotic Species
- Ecology
- Environmental Policy

Reference

- Fire ant
- Ant
- Seed predation
- Computational genomics

Perhaps drawing insights from their study organisms, the scientists' distributed yet coordinated effort sped the advancement of these genome projects from sequencing to assembly to annotation to interpretation in less than two years.

Ants are dominant members of almost all terrestrial ecosystems; they are master architects, voracious predators, farmers, ranchers, scavengers and come in a fantastic array of shapes, sizes and colors. Almost all humans have come into contact with ants in one fashion or another. There are fire ants in back yards, Argentine ants in kitchens, harvester ants in children's ant farms, and trains of leaf-cutter ants dismantling forests in documentaries. Ants originated

more than 100 million years ago, their ecological dominance and evolutionary success, complex societies, variation in form and function, and the diverse roles they play in ecosystems, collectively contribute to the scientific rationale behind scientists' efforts to sequence their genomes. With more than 14,000 described ant species, and with many thousands yet to be described, it is the diversity of ants, matched with many genome sequences, that researchers believe can solve some fundamental questions in biology.

Much of the impetus behind these studies collaborative efforts grew out of a workshop on ant genomics held at the Center for Social Dynamics and Complexity at Arizona State University in 2009. "Our goal was to sequence 10 ant genomes across the ant family tree and we are well on our way," said Chris R. Smith, an assistant professor at Earlham College in Indiana. "The pace of our progress was also advanced by employment of the same annotation pipeline, MAKER, developed by Mark Yandell's group at the University of Utah." Smith co-organized the ASU workshop with his *P. barbatus* co-author, Jürgen Gadau, a professor with ASU's School of Life Sciences. These publications bring the total number of sequenced ant genomes to six, all released since 2010.

Lead authors of the four studies, in addition to CR Smith and Gadau for *P. barbatus*, were Christopher D. Smith (San Francisco State University) and Neil Tsutsui (University of California, Berkeley) for *L. humile*; Yannick Wurm and Laurent Keller (University of Lausanne), Ioannis Xenarios (Swiss Institute of Bioinformatics) and Dewayne Shoemaker (USDA ARS) for *S. invicta*; and Garret Suen and Cameron Currie (University of Wisconsin-Madison) for *A. cephalotes*.

"These publications open the gates to entirely new and highly significant research ventures," said Bert Hoelldobler, Pulitzer Prize-winning co-author of "The Ants," with Edward O. Wilson, and a professor in ASU's College of Liberal Arts and

Ads by Google

Psychiatric Drug Effects

Learn The Untold Story Of Psychotropic Drugging. Get Free DVD
[CCHR.org](#)

TaxiServices 0844'814'814

Agglomération Lausannoise
 250 taxis à votre service 24H s/24H
[www.taxiservices.ch](#)

French course Lausanne ?

Swiss French School, blended method, guaranteed results!
[SwissFrenchSchool.ch](#)

AFM Tips by NanoAndMore

AFM Tips For Any Application. Fast Delivery. Free Samples!
[NanoAndMore.com/Tips](#)

Related Stories



Ants Are Experienced Fungus Farmers

(Mar. 25, 2008) — It turns out ants, like humans, are true farmers. The difference is that ants are farming fungus. Entomologists are providing new insight into the agricultural abilities of ants and how these ... [> read more](#)



Ancient Ants Arose 140-168 Million Years Ago; Insects Needed Flowering Plants To Flourish

(Apr. 7, 2006) — Ants are considerably older than previously believed, having originated 140 to 168 million years ago, according to new research on the cover of this week's issue of the journal ... [> read more](#)



Fire Ant Outcompetes Other Species, Even in Its Native Habitat

(July 14, 2009) — Even in its native Argentina, the fire ant wins in head-to-head competition with other ant species more than three-quarters of the ... [> read more](#)



Ants Use Multiple Antibiotics as Weed Killers

(Aug. 26, 2010) — Fungus-farming ants are using multiple antibiotics as weed killers to maintain their fungus gardens, according to new research. This is reminiscent of the use of multi-drug therapy to treat ... [> read more](#)



Common House Ants Form Supercolonies, Prosper in Urban Settings

(Mar. 31, 2010) — One of the most common house ant species might have been built for living in a forest, but the ants have found ways to take advantage of the comforts of city living. A new study has found that ... [> read more](#)

Newly Decoded Ant Genomes Provide Clues on Ant Social Life, Pest Control

(Jan. 31, 2011) — Scientists have deciphered the genomes of four new ant species, including the invasive Argentine ant -- a pest which ruins picnics, infest homes and decimates native species with its massive ... [> read more](#)



Ants Use Bacteria to Make Their Gardens Grow

(Nov. 24, 2009) — Leaf-cutter ants, which cultivate fungus for food, have many remarkable qualities. Here's a new one to add to the list: the ant farmers, like their human counterparts, depend on

Just In:

Satellites Spy Monster Winter Storm

Science Video News



Planes, Trains And Ant Hills

Financial analysts use the concept of swarm intelligence to solve taxiway traffic problems at airports. While ants communicate via pheromones, ... [> full story](#)

- ▶ Marine Biotechnologists Treat Cancer With Mud-loving Ocean Bacteria
- ▶ Zoo Focuses Efforts on Poison Dart Frog Breeding Program
- ▶ Sea Urchins' Genetics Add To Knowledge Of Cancer, Alzheimer's And Infertility
- ▶ [more science videos](#)

THE DNA ANCESTRY PROJECT

Discover your ancestry with DNA
[www.DNAAncestryProject.com](#)

[www.dnaancestryproject.com](#)

Ads by Google

Breaking News

... from NewsDaily.com

- ▶ Museums on high alert for ancient Egyptian loot
- ▶ Grave robber chase reveals ancient Holy Land church
- ▶ Russia restores contact with lost satellite
- ▶ Shuttle Discovery returns to launch pad
- ▶ Study finds way to predict when cancer will spread
- ▶ [more science news](#)



Ads by Google

MSc Environmental Change

Over 150 species on earth become extinct every day
[www.ie.edu/biology](#)

Psoriasis?

Equilac Keeps Psoriasis Under Control. Read Success Stories!
[www.Equilac.com](#)

Penny Anderson Associates

Ecology & Environmental Consultancy Our knowledge is your advantage
[www.pennyanderson.com](#)

Wurmfarmen & Wurmkompost

Wurmkippen, Kompostwürmer (Eisenia foetida, Dendrobaena veneta) uvm.
[www.wurmwelten.de](#)

In Other News ...

- ▶ Huge winter storm slams Midwest, Northeast
- ▶ Giant cyclone hits Australian tourist coast
- ▶ Protesters, Mubarak supporters fight in Cairo square
- ▶ WikiLeaks cable shows three Qataris in September 11 plot
- ▶ U.S. probes BP for gas market manipulation
- ▶ BP fund underpays

Sciences.

Among these four newly sequenced ant species are two of the world's most damaging invasive species, the Argentine ant, *L. humile*, and fire ant, *S. invicta*. Control of these two pest species is a multi-billion dollar per year industry. Both are native to South America, but now can be found worldwide. The ant research community hopes that having the fully sequenced genomes of these ants will help researchers decode both the secrets of their success as invasive species and open avenues for new means for their control.

"Controlling invasive ant populations has long involved pesticides that also hurt native competitors including ants and other insects," said Wurm, lead author on the *S. invicta* genome. "The genome sequence represents a crucial milestone towards understanding how the members of an ant colony communicate. Ultimately, reverse engineering their communication system might facilitate the development of pesticides that specifically induce workers of a given species to kill their nestmates, while minimizing impact on other species and the environment."

"Argentine ants may seem like only a nuisance to many since they don't sting humans like their compatriot fire ant invaders, but studies have shown that they decimate native arthropods wherever they invade," lead author of the *L. humile* genome, CD Smith, added. "They also protect crop pests, leading to pesticide use that contaminates waterways and probably human health. With luck, the genome will shed light on how to short circuit the destructive behaviors of both invasive ants"

The other two ant species in this quartet, the harvester ant, *P. barbatus*, and leafcutter ant *A. cephalotes*, were sequenced largely because of their unique biology. These two species have queens and workers that differ greatly in size, morphology, physiology, behavior and longevity. Researchers hope to illuminate how ant colonies manage to produce such genetically similar, but vastly different individuals. For example, harvester ant queens may live several decades, but workers only six months. Similarly, the range of sizes of leaf-cutter ant workers varies from smaller than a grain of rice, to as large as a peanut. Scientific studies of these ants have already offered insights into molecular pathways that enable the ants to produce individuals with such differences and allow researchers, such as Gadau and CR Smith, to find those genes that ultimately distinguish queens from workers. CR Smith notes that, "these are the quintessential genes for advanced sociality, the genes that fate an individual to a life of royalty or drudgery." Access to the leaf-cutter genome also offers opportunities to study the molecular underpinnings of a highly complex mutualism. Leaf-cutter ants evolved agriculture more than 10 million years ago. They not only cut leaves as a substrate to grow fungal gardens, but they also use bacteria to increase the intake of nitrogen and fight off harmful (parasitic) fungi.

"The intricate and obligate relationships between the ants and their symbionts are reflected in gene losses in the leaf-cutter ant genome, especially in pathways related to nutrient acquisition and storage, as would be expected when other organisms obligately supply nutrients," said Suen, one of the lead authors of the *A. cephalotes* genome. "As one of the most ancient forms of non-human agriculture, having access to the leaf-cutter ant genome will also help us understand how this complex behavior evolved. This ant-fungus association led to the development of the immense colony size in these ants, which can contain hundreds of fungus gardens and millions of workers." Colleague and co-author Currie also noted that "having a genome for a leaf-cutter ant will greatly facilitate our ability to understand the molecular underpinnings of this complex agricultural symbiosis."

Ultimately, however, the insights to be gained from the combination of these social insect genomes outweighs the individual contribution of each study, CR Smith said, in keeping with the ant genome researchers' collective, ant-like approach to "the greater good."

Smith's co-author, Gadau, agreed, noting that "large scale genomics analysis within a group of related organisms will also allow the identification of new functional non-coding DNA sequences that play a critical role in the organization of insect societies and phenotypic plasticity in general. This allows social insects to contribute to our understanding of how the environment and genome interact to generate an intricately intertwined society. At the same time, such studies also help us to understand how genomes in general interact with the environment to generate adaptive phenotypes or complex diseases like diabetes which are the result of an interaction between the environment, individual behavior and genes."

For example, these four genomes, taken together, have revealed that the brand of sociality that evolved among ants is different from, but similar to, that which has evolved among bees. By comparisons to the previously published honey bee

nitrogen-fixing ... > [read more](#)

When Industrious Ants Go Too Far (May 1, 2009) — Nature is full of mutually beneficial arrangements between organisms -- like the relationship between flowering plants and their bee pollinators. But sometimes these blissful relationships have a ... > [read more](#)

Ads by Google

15 Hotels in Lausanne

Book your hotel in Lausanne online. Good availability and great rates!
www.booking.com/Lausanne

Medical tourism Korea

Most Advanced Healthcare Services with Affordable Price. Find out more
Medicalkorea.or.kr

98% Thyroid Disease Cured

100% Natural Herbs, with TGA, GMP, SGS. Thousands of recovery cases!
www.greenlife-herbal.com

Eliminate Ant Problem

No more ants in 3 days. Kill fire, black, carpenter ants.
www.antbuster.com

oil spill victims: Mississippi

- ▶ [New Pfizer CEO slashes R&D to save 2012 forecast](#)
- ▶ [GM and Chrysler lead as U.S. auto sales rise](#)
- ▶ [more top news](#)

Copyright Reuters 2008. See [Restrictions](#).

Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

- ▶ [Email Newsletters](#)
- ▶ [RSS Newsfeeds](#)

Feedback ... we want to hear from you!

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name:

Your Email:

Comments:






Click button to submit feedback:

genome, researchers have independently found that ants have much expanded odorant receptor genes, whereas honey bees have a contracted set, relative to other insects. Ants have the most odorant receptor genes of any insect described to date and this difference likely reflects an increased dependence on and sophistication of chemical communication. On the other hand, both the bees and ants have a relatively depauperate set of innate immunity genes, as compared to other insects, which seems to reflect an increased reliance on social immunity -- the processes whereby individuals of a society rely on others to clean and 'de-bug' each other and the nest. All of the ant genomes also contain a complete DNA methylation toolkit. DNA methylation is known to modify the expression of genes, independent of changes in DNA sequence, and is involved in differentiating the developmental pathways of queens and workers in honey bees. Analyses in some of the ant genomes suggest that DNA methylation is also involved in making ant queens and workers different.

The studies' authors noted, "We know bees use DNA methylation to execute caste programs and now have the first hints that ants may too. But even while they appear to have the same genes as bees, it is already clear that they use methylation differently, and that both species use it differently than humans."

The researchers believe that epigenetic processes such as methylation likely also contribute to the astonishing life-span differences between queens (that live more than 20 years) and workers that typically die after several months.

Myrmecology, or the study of ants, has entered the genomic era, according to these four studies' authors. Such advances in genomics will, they believe, allow scientists to ask questions related to pest management, phenotypic plasticity, evolutionary novelty, the interaction of environment and genotype in the production of adaptive phenotypes, kinship and the evolution of sociality, reproductive conflict, disease management in social environments, and other fundamental questions in development, ecology and evolutionary biology. However, the scale of integrating genome knowledge across so many species will also require "databases, new software tools, data-sharing policies and the continuation of the kind of unprecedented cooperation offered by the authors and institutions in these four studies," said Gadau and CR Smith. Perhaps scientists, by following the principles of their social study organisms, by sharing information and resources to tackle complex problems, can hope to fully resolve how ants reign as some of the most successful organisms on Earth.

Email or share this story:     |  More

Story Source:

The above story is reprinted (with editorial adaptations by ScienceDaily staff) from materials provided by [Arizona State University](#), via [EurekAlert!](#), a service of AAAS.

Journal References:

1. C. R. Smith, C. D. Smith, H. M. Robertson, M. Helmkamp, A. Zimin, M. Yandell, C. Holt, H. Hu, E. Abouheif, R. Benton, E. Cash, V. Croset, C. R. Currie, E. Elhaik, C. G. Elsik, M.-J. Fave, V. Fernandes, J. D. Gibson, D. Graur, W. Gronenberg, K. J. Grubbs, D. E. Hagen, A. S. I. Viniegra, B. R. Johnson, R. M. Johnson, A. Khila, J. W. Kim, K. A. Mathis, M. C. Munoz-Torres, M. C. Murphy, J. A. Mustard, R. Nakamura, O. Niehuis, S. Nigam, R. P. Overson, J. E. Placek, R. Rajakumar, J. T. Reese, G. Suen, S. Tao, C. W. Torres, N. D. Tsutsui, L. Vijakainen, F. Wolschin, J. Gadau. **Draft genome of the red harvester ant *Pogonomyrmex barbatus***. *Proceedings of the National Academy of Sciences*, 2011; DOI: [10.1073/pnas.1007901108](https://doi.org/10.1073/pnas.1007901108)
2. C. D. Smith, A. Zimin, C. Holt, E. Abouheif, R. Benton, E. Cash, V. Croset, C. R. Currie, E. Elhaik, C. G. Elsik, M.-J. Fave, V. Fernandes, J. Gadau, J. D. Gibson, D. Graur, K. J. Grubbs, D. E. Hagen, M. Helmkamp, J.-A. Holley, H. Hu, A. S. I. Viniegra, B. R. Johnson, R. M. Johnson, A. Khila, J. W. Kim, J. Laird, K. A. Mathis, J. A. Moeller, M. C. Munoz-Torres, M. C. Murphy, R. Nakamura, S. Nigam, R. P. Overson, J. E. Placek, R. Rajakumar, J. T. Reese, H. M. Robertson, C. R. Smith, A. V. Suarez, G. Suen, E. L. Suhr, S. Tao, C. W. Torres, E. van Wilgenburg, L. Vijakainen, K. K. O. Walden, A. L. Wild, M. Yandell, J. A. Yorke, N. D. Tsutsui. **Draft genome of the globally widespread and invasive Argentine ant (*Linepithema humile*)**. *Proceedings of the National Academy of Sciences*, 2011; DOI: [10.1073/pnas.1008617108](https://doi.org/10.1073/pnas.1008617108)
3. Y. Wurm, J. Wang, O. Riba-Gognuz, M. Corona, S. Nygaard, B. G. Hunt, K. K. Ingram, L. Falquet, M. Nipitwattanaphon, D. Gotzek, M. B. Dijkstra, J. Oettler, F.

Comtesse, C.-J. Shih, W.-J. Wu, C.-C. Yang, J. Thomas, E. Beaudoin, S. Pradervand, V. Flegel, E. D. Cook, R. Fabbretti, H. Stockinger, L. Long, W. G. Farmerie, J. Oakey, J. J. Boomsma, P. Pamilo, S. V. Yi, J. Heinze, M. A. D. Goodisman, L. Farinelli, K. Harshman, N. Hulo, L. Cerutti, I. Xenarios, D. Shoemaker, L. Keller. **The genome of the fire ant *Solenopsis invicta***. *Proceedings of the National Academy of Sciences*, 2011; DOI: [10.1073/pnas.1009690108](https://doi.org/10.1073/pnas.1009690108)

Need to cite this story in your essay, paper, or report?

Use one of the following formats:

- APA Arizona State University (2011, February 1). New quartet of ant genomes sequenced.
- MLA *ScienceDaily*. Retrieved February 2, 2011, from <http://www.sciencedaily.com/releases/2011/02/110201101623.htm>

Note: If no author is given, the source is cited instead.

Disclaimer: Views expressed in this article do not necessarily reflect those of ScienceDaily or its staff.

Search ScienceDaily

Number of stories in archives: 97,476

Find with keyword(s):

Search

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

About ScienceDaily® | Editorial Staff | Awards & Reviews | Contribute News | Advertise With Us | Privacy Policy | Terms of Use
Copyright © 1995-2010 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com
Note: This web site is not intended to provide medical advice, diagnosis or treatment.
Part of the iVillage Your Total Health Network