

## LIST OF PUBLICATIONS

Werner HELD      OrcID: 0000-0003-3292-1536

September 7 2020

### Primary research publications (peer reviewed)

\* equal contribution

1. **Held, W.**, Stucki, M., Heusser, C. and Blaser, K. 1989. Production of human antibodies to bee venom Phospholipase A2 in vitro. **Scand. J. Immunol.** 29: 203-209.
2. Müller, C., Kägi, D., Aebischer, T., Odermatt, B., **Held, W.**, Podack, E.R., Zinkernagel, R.M. and Hengartner, H. 1989. Detection of perforin and granzyme A mRNA in infiltrating cells during infection of mice with lymphocytic choriomeningitis virus. **Eur. J. Immunol.** 19: 1253-1259.
3. **Held, W.**, MacDonald, H.R. and Mueller, C. 1990. Expression of genes encoding cytotoxic cell-associated serine proteases in thymocytes. **Int. Immunol.** 2: 57-62.
4. **Held, W.**, MacDonald, H.R., Weissman, I.L., Hess, M.W. and Mueller, C. 1990. Genes encoding tumor necrosis factor  $\alpha$  and granzyme A are expressed during development of autoimmune diabetes. **Proc. Natl. Acad. Sci. USA.** 87: 2239-2243.
5. **Held, W.**, Mueller, C. and MacDonald, H.R. 1990. Expression of T cell receptor genes in the thymus: Localization of transcripts in situ and comparison of mature and immature subsets. **Eur. J. Immunol.** 20: 2133-2136.
6. **Held, W.\***, Shakhov, A.N.\*, Waanders, G., Scarpellino, L., Luethy, R., Kraehenbuhl, J.-P., MacDonald, H.R. and Acha-Orbea, H. 1992. An exogenous mouse mammary tumor virus with properties of Mls-1<sup>a</sup> (Mtv-7). **J. Exp. Med.** 175: 1623-1633.
7. Acha-Orbea, H., Scarpellino, L., Shakhov, A.N., **Held, W.** and MacDonald, H.R. 1992. Inhibition of mouse mammary tumor virus induced T cell responses *in vivo* by antibodies to an open reading frame protein. **J. Exp. Med.** 176: 1769-1772.
8. **Held, W.**, Shakhov, A.N., Izui, S., Scarpellino, L., Waanders, G.A., MacDonald, H.R. and Acha-Orbea, H. 1993. Superantigen-reactive CD4<sup>+</sup> T cells are required to stimulate B cells after infection with mouse mammary tumor virus. **J. Exp. Med.** 177: 359-366.
9. Waanders, G.A., Shakhov, A.N., **Held, W.**, Karapetian, O., Acha-Orbea, H. and MacDonald, H.R. 1993. Peripheral T cell activation and deletion induced by transfer of lymphocyte subsets expressing endogenous or exogenous mouse mammary tumor virus. **J. Exp. Med.** 177: 1359-1366.
10. **Held, W.**, Meyermann, R., Qin, Y. and Mueller, C. 1993. Perforin and tumor necrosis factor  $\alpha$  in the pathogenesis of experimental allergic encephalomyelitis: Comparison of autoantigen induced and transferred disease in Lewis rats. **J. Autoimmunity** 6: 311-322.
11. **Held, W.**, Waanders, G.A., Shakhov, A.N., Scarpellino, L., Acha-Orbea, H. and MacDonald, H.R. 1993. Superantigen induced immune stimulation amplifies Mouse Mammary Tumor Virus infection and allows virus transmission. **Cell.** 74: 529-540.

12. Wilson, A., **Held, W.** and MacDonald, H.R. 1994. Two waves of recombinase gene expression in developing thymocytes. **J. Exp. Med.** 179: 1355-1360.
13. **Held, W.**, Waanders, G.A., MacDonald, H.R. and Acha-Orbea, H. 1994. MHC class II hierarchy of superantigen presentation predicts efficiency of infection with Mouse Mammary Tumor Virus. **Int. Immunol.** 6: 1403-1407.
14. **Held, W.**, Waanders, G.A., Acha-Orbea, H. and MacDonald, H.R., 1994. Reverse transcriptase dependent and independent phases of infection with mouse mammary tumor virus: Implications for superantigen function. **J. Exp. Med.** 180: 2347-2351.
15. Mueller, C., **Held, W.**, Imboden, M.A. and Carnaud, C.C. 1995. Accelerated  $\beta$ -cell destruction in adoptively transferred autoimmune diabetes correlates with an increased expression of the genes coding for TNF- $\alpha$  and granzyme A in the intra-islet infiltrates. **Diabetes** 44: 112-117.
16. **Held, W.**, Roland, J. and Raulet, D.H. 1995. Allelic exclusion of Ly49 family genes encoding class I MHC-specific receptors on NK cells. **Nature** 376: 355-358.
17. Waanders, G.A., Lees, R.M., **Held, W.** and MacDonald, H.R. 1995. Quantitation of endogenous mouse mammary tumor virus superantigen expression by lymphocyte subsets. **Eur J. Immunol.** 25: 2632-2637.
18. **Held, W.\***, Dorfman, J.R.\*, Wu, M.-F. and Raulet, D.H. 1996. Major histocompatibility complex class I-dependent skewing of the natural killer cell Ly49 receptor repertoire. **Eur. J. Immunol.** 26: 2286-2292.
19. **Held, W.**, Cado, D. and Raulet, D.H. 1996. Transgenic expression of the Ly49A natural killer cell receptor confers class I Major Histocompatibility Complex (MHC)-specific inhibition and prevents bone marrow allograft rejection. **J. Exp. Med.** 184: 2037-2041.
20. Zerrahn, J., **Held, W.** and Raulet, D.H. 1997. The MHC reactivity of the T cell repertoire prior to positive and negative selection. **Cell.** 88: 627-636.
21. **Held, W.** and Raulet, D.H. 1997. Ly49A transgenic mice provide evidence for a Major Histocompatibility Complex-dependent education process in Natural Killer cell development. **J. Exp. Med.** 185: 2079-2088.
22. **Held, W.** and Raulet, D.H. 1997. Expression of the Ly49A gene in murine natural killer cell clones is predominantly but not exclusively mono-allelic. **Eur. J. Immunol.** 27: 2876-2884.
23. MacDonald, H.R., Lees R.M. and **Held, W.** 1998. Developmentally regulated extinction of Ly-49 receptor expression permits maturation and selection of NK1.1<sup>+</sup> T cells. **J. Exp. Med.** 187: 2109-2114.
24. **Held, W.** and Kunz, B. 1998. An allele-specific, stochastic gene expression process controls the expression of multiple Ly49 family genes and generates a diverse, MHC-specific NK cell receptor repertoire. **Eur. J. Immunol.** 28: 2407-2416.
25. **Held, W.**, Kunz, B., Lowin-Kropf, B., van de Wetering, M. and Clevers, H. 1999. Clonal acquisition of the Ly49A NK cell receptor is dependent on the trans acting factor TCF-1. **Immunity.** 11: 433-442.

26. Zerrahn, J., Volkmann, A., Coles, M.C., **Held, W.**, Lemonnier, F.A. and Raulet, D.H. 1999. Class I MHC molecules on haematopoietic cells can support intrathymic positive selection of T cell receptor transgenic T cells. **Proc. Natl. Acad. Sci. USA** 96: 11470-11475.
27. Zajac, A.J., Vance, R.E., **Held, W.**, Sourdive, D.J.D., Raulet, D.H. and Ahmed, R. 1999. Impaired anti-viral T-cell responses due to expression of the Ly49A inhibitory receptor. **J. Immunol.** 163: 5526-5534.
28. Lowin-Kropf, B. and **Held, W.** 2000. Positive impact of inhibitory Ly49 receptor - MHC interaction on NK cell development. **J. Immunol.** 165: 91-95.
29. Lowin-Kropf, B., Kunz, B., Beermann, F. and **Held, W.** 2000. Impaired natural killing of MHC class I deficient targets by NK cells expressing a catalytically inactive form of SHP-1. **J. Immunol.** 165: 1314-1321.
30. Brawand, P., Lemonnier, F.A., MacDonald, H.R., Cerottini, J.-C. and **Held, W.** 2000. Transgenic expression of Ly49A on T cells impairs a specific anti-tumor response. **J. Immunol.** 165: 1871-1876.
31. Wolfer, A., Bakker, T., Wilson, A., Nicolas, M., Ioannidis, V., Littman, D.R., Lee, P.P., Wilson, C.B., **Held, W.**, MacDonald, H.R. and Radtke, F. 2001. Inactivation of Notch 1 in immature thymocytes does not perturb CD4 or CD8 T cell development. **Nature Immunology.** 2: 235-241.
32. Kunz, B. and **Held, W.** 2001 Positive and negative roles of the trans-acting T cell factor-1 for the acquisition of distinct Ly49 MHC class I receptors by NK cells. **J. Immunol.** 166: 6181-6187.
33. Ioannidis, V., Beermann, F., Clevers, H. and **Held, W.** 2001. The  $\beta$ -catenin / TCF-1 pathway ensures the survival of CD4<sup>+</sup>CD8<sup>+</sup> thymocytes. **Nature Immunology.** 2: 691-697.
34. Ioannidis V., Zimmer, J., Beermann, F. and **Held, W.** 2001 Cre mediated-inactivation of H-2D<sup>d</sup> transgene expression: evidence for partial missing-self recognition by Ly49A NK cells. **J. Immunol.** 167: 6256-6262.
35. Ferrero, I., Wilson, A., Beerman, F., **Held, W.** and MacDonald, H.R. 2001. T cell receptor specificity is critical for the development of epidermal  $\gamma\delta$  T cells. **J. Exp. Med.** 194: 1473-1483
36. Zimmer, J., Ioannidis, V. and **Held, W.** 2001. H-2D ligand expression by Ly49A<sup>+</sup> NK cells precludes ligand uptake from environmental cells: Implications for NK cell function. **J. Exp. Med.** 194: 1531-1539.
37. Lowin-Kropf, B., Kunz, B., Schneider, P. and **Held, W.** 2002. A role for the src family kinase Fyn in NK cell activation and the formation of the repertoire of Ly49 receptors. **Eur. J. Immunol.** 32: 773-782.
38. Chambers, C.A., Kang, J.S., Wu, Y., **Held, W.**, Raulet, D. and Allison, J.P. 2002. The lymphoproliferative defect in CTLA-4 mutant mice is ameliorated by the inhibitory NK cell receptor Ly49A. **Blood.** 99: 4509-4516.
39. Ferrero, I., **Held, W.**, Wilson, A., Tacchini-Cottier, F., Radtke, F., MacDonald, H.R. 2002. Mouse CD11c<sup>+</sup> B220<sup>+</sup> Gr1<sup>+</sup> plasmacytoid dendritic cells develop independently of the T-cell lineage. **Blood.** 100: 2852-2857.

40. Voyle, R., Schürmanns, J., Zimmer J., Berrmann, F., **Held, W.**, MacDonald, H.R. 2003. Ligand-dependent inhibition of CD1d-restricted NKT cell development in mice transgenic for the activating receptor Ly49D. **J. Exp. Med.** 197: 919-925.
41. **Held, W.**, Clevers, H., Grosschedl, R. 2003. Redundant functions of TCF-1 and LEF-1 during T and NK cell development, but unique role of TCF-1 for Ly49 NK cell receptor acquisition. **Eur. J. Immunol.** 33: 1393-1398.
42. Ioannidis, V., Kunz, B., Tanamachi D.M., Scarpellino, L., **Held, W.** 2003. Initiation and limitation of Ly49A NK cell receptor acquisition by T cell factor-1. **J. Immunol.** 171: 769-775.
43. Saurer, L., Seibold, I, Vallan, C., **Held, W.**, Mueller, C. 2003. Cutting Edge: Stimulation with the cognate self-antigen induces expression of the Ly49A receptor on self-reactive T cells which modulates their responsiveness. **J. Immunol.** 171: 6334-6338.
44. Doucey, M.-A., Scarpellino, L., Zimmer, J., Guillaume, P., Luescher, I.F., Bron, C., **Held, W.** 2004. *Cis*-association of Ly49A with MHC class I restricts natural killer cell inhibition. **Nature Immunology** 5: 328-336.
45. Coudert, J.D., Zimmer, J., Tomasello, E., Cebecauer, M., Colonna, M., Vivier, E., **Held, W.** 2005. Altered NKG2D function in NK cells induced by chronic exposure to NKG2D-ligand expressing tumor cells. **Blood.** 106: 1711-1717.
46. Goux, D., Coudert, J.D., Maurice, D., Scarpellino, L., Jeannet, G., Piccolo, S., Weston, K., Huelsken, J., **Held, W.** 2005. Cooperating pre-T cell receptor and TCF-1-dependent signals ensure thymocyte survival. **Blood.** 106: 1726-1733.
47. Germain, C., Larbouret, C., Cesson, V., Donda, A., **Held, W.**, Mach, J.-P., Pèlegri, A., Robert, B. 2005. MHC class I-related chain A (MICA) conjugated to anti-tumor antibodies can sensitize tumor cells to specific lysis by Natural Killer cells. **Clinical Cancer Res.** 11: 7516-7522.
48. Huang, Z., Xie, H., Ioannidis, V., **Held, W.**, Clevers, H., Sadim, M., Sun, Z. 2006. Transcriptional regulation of CD4 gene expression by TCF-1/ $\beta$ -catenin pathway. **J. Immunol.** 176: 4880-4887.
49. Jeannet, G., Coudert, J.D. **Held, W.** 2006. T and B lymphocytes exert distinct effects on the homeostasis of NK cells. **Eur. J. Immunol.** 36: 2725-2734.
50. Melchiar, H.J., Narayan, K., Der, S.D., Hiraoka, Y., Gardiol, N., Jeannet, G., **Held, W.**, Chambers, C.A., Kang, J. 2007. Regulation of  $\gamma\delta$  versus  $\alpha\beta$  T lymphocyte differentiation by the transcription factor Sox13. **Science.** 315: 230-233.
51. Scarpellino, L, Oeschger, F, Guillaume P., Coudert, J.D., Lévy, F., Leclercq, G., **Held, W.** 2007. Interactions of Ly49 family receptors with MHC class I ligands *in trans* and *in cis*. **J. Immunol.** 178: 1277-1284.
52. Back, J., Chalifour, A., Scarpellino, L., **Held, W.** 2007. Stable masking by H-2D<sup>d</sup> ligand limits Ly49A relocalization to the site of NK cell target cell contact. **Proc. Natl. Acad. Sci. USA.** 104: 3978-3983.

53. Jeannet, G., Scheller, M., Scarpellino, L., Duboux, S., Gardiol, N., Back, J., Kuttler, F., Malanchi, I., Birchmeier, W., Leutz, A., Huelsken, J.\* and **Held, W.\*** 2008 Long-term, multilineage hematopoiesis occurs in the combined absence of  $\beta$ -catenin and  $\gamma$ -catenin. **Blood**. 111: 142-149.
54. Coudert, J.D., Scarpellino, L., Gros, F., Vivier, E. and **Held, W.** 2008. Sustained NKG2D engagement induces cross-tolerance of multiple distinct NK cell activation pathways. **Blood**. 111: 3571-3578.
55. Van Den Broeck, T., Stevenaert, F., Taveirne, S., Debacker, V., Vangestel, C., Vandekerckhove, B., Taghon, T., Matthys, P., Plum, J., **Held, W.**, Dewerchin, M., Yokoyama, W.M., and Leclercq, G.: 2008. Ly49E-dependent inhibition of natural killer cells by urokinase plasminogen activator. **Blood**. 112:5046-5051.
56. Chalifour, A., Scarpellino, L., Back, J., Brodin, P., Devèvre, E., Gros, F., Lévy, F., Leclercq, G., Höglund, P., Beermann, F., **Held, W.** 2009. A role for Ly49A-MHC class I *cis* interaction for NK cell education. **Immunity**. 30: 337-347.
57. Back, J., Malchiodi E.L., Cho S., Scarpellino S., Schneider, P., Melissa C. Kerzic, M.C., Mariuzza, R.A., **Held, W.** 2009. Distinct conformations of Ly49 Natural Killer cell receptors mediate MHC class I recognition in *trans* and *cis*. **Immunity**. 31: 598-608.
58. Zhao, D.-M., Yu, S., Zhou, X., Haring, J.S., **Held, W.**, Badovinac, V., Harty, J.T. and Xue, H.-H. 2010. Constitutive activation of Wnt signaling favors generation of memory CD8 T cells: **J. Immunol.** 184: 1191-1199.
59. Jeannet, G., Boudousquié, C., Gardiol, N., Kang, J., Huelsken J. and **Held, W.** 2010. Essential role of the Wnt pathway effector Tcf-1 (T cell factor 1) for the establishment of functional CD8 T cell memory. **Proc. Natl. Acad. Sci. USA**. 107: 9777-9782.
60. Merck, E., Lees, R.K., Voyle, R.B., **Held, W.** and MacDonald, H.R. 2011. Ly49D-mediated ITAM signaling in immature thymocytes impairs the pre-TCR checkpoint. **J. Immunol.** 187: 110-117.
61. Taveirne, S., Filtjens, J., Van Ammel, E., De Colvenaer, V., Kerre, T., Taghon, T., Vandekerckhove, B., Plum, J., **Held, W.\*** and Leclercq, G.\* 2011. Inhibitory receptors specific for MHC class I educate murine NK cells but not CD8 $\alpha\alpha$  intestinal intraepithelial T lymphocytes. **Blood**. 118:339-347.
62. Back, J., Angelov, G.S., Mariuzza, R.A. and **Held, W.** 2011. The interaction with H-2D<sup>d</sup> in *cis* is associated with a conformational change in the Ly49A NK cell receptor. **Front. Immunol.** 2: 1-6.
63. Kijima, M., Gardiol, N. and **Held, W.** 2011. Natural Killer cell mediated missing-self recognition can protect mice from primary chronic myeloid leukemia *in vivo*. **PLOS one**. 6(11): e27639.
64. Khalil, H., Peltzer, N., Walicki, J., Yang, J.-Y., Dubuis, G., Gardiol, N., **Held, W.**, Bigliardi, P., Marsland, B., Widmann, C. 2012. Caspase-3 protects stressed organs against cell death. **Mol. Cell. Biol.** 32: 4523-4533.
65. Dudda, J.C., Salaun, B., Yun Ji, Y., Palmer, D.C., Monnot, G.C., Merck, E., Boudousquie, C., Utzschneider, D.T., Escobar, T.M., Perret, R., Muljo, S.A., Hebeisen, M., Rufer, N., Zehn, D., Donda, A.,

- Restifo, N.P., **Held, W.**, Gattinoni, L., Romero, P. 2013. MicroRNA-155 is required for effector CD8+ T cell response to virus infection and cancer. **Immunity**. 38: 743-753.
66. Bessoles, S., Angelov, G.A. Leclercq, G., Vivier, E. and **Held, W.** 2013. Education of murine NK cells requires both *cis* and *trans* recognition of MHC class I molecules. **J. Immunol.** 191: 5044-5051.
67. Boudousquié, C., Danilo, M., Pousse, L., Jeevan-Raj, B., Angelov, G.S., Chennupati, V., Zehn, D. and **Held, W.** 2014. Differences in the transduction of canonical Wnt signals demarcate effector and memory CD8 T cells with distinct recall proliferation capacity. **J. Immunol.** 193: 2784-2791.
68. Jaworski, M., Marsland, B., Gehrig, J., **Held, W.**, Luther, S., Perroud, M., Philippe, V., Gaide, O. and Thome, M. 2014. Malt1 protease inactivation efficiently dampens immune responses but causes spontaneous autoimmunity. **EMBO. J.** 33: 2765-2781.
69. Hurrell, B.P., Schuster, S., Grün, E., Coutaz, M., Williams, R.A., **Held, W.**, Malissen, B., Malissen, M., Yousefi, S., Simon, H.U., Müller, A.J. Tachini-Cottier, F. 2015. Rapid sequestration of *Leishmania mexicana* by neutrophils contributes to the development of chronic lesion. **PLOS Pathogens**. 11: e1004929. PMID: 26020515
70. Bertoldo, D., Khan, M.M., Dessen, P., **Held, W.**, Huelsken, J. and Heinis, C. 2016. Phage selection of peptide macrocycles against  $\beta$ -catenin to interfere with Wnt signaling. **ChemMedChem**. 11: 834-9. PMID: 26812578
71. Ludigs, K., Jandus, C., Utzschneider, D., Staehli, F., Bessoles, S., Dang, A.T., Rota, G., Castro, W., Zehn, D., Vivier, E., **Held, W.**, Romero, P., Guarda, G. 2016. NLRC5 shields T lymphocytes from NK cell-mediated killing under inflammatory conditions. **Nat. Comm.** 7: 10554. PMID: 26861112
72. Diderich, P., Bertoldo, D., Dessen, P., Khan, M.M., Pizzitola, I., **Held, W.**, Huelsken, J. and Heinis, C. 2016. Phage selection of chemically stabilized  $\alpha$ -helical peptide ligands. **ACS Chemical Biology**. 11: 1422-7. PMID: 26929989
73. Scholz, G., Jandus, C., Zhang, L., Grandclement, C., Lopez-Mejia, I.C., Sonesson, C., Delorenzi, M., Fajas, L., **Held, W.**, Dormond, O., Romero, P. 2016. Modulation of mTOR signalling triggers the formation of stem cell-like memory T cells. **EBioMedicine**. 16: 50-61. PMID: 26981571
74. Grandclément, C., Pick, H., Vogel, H. and **Held, W.** 2016. NK cells respond to haptens by the activation of calcium permeable plasma membrane channels. **PlosOne**. 10: e0151031. PMID: 26963818
75. Alari-Pahissa, E., Grandclément, C., Jeevan-Raj, B., Leclercq, G., Veillette, A. and **Held, W.** 2016. Activation by SLAM family receptors contributes to NK cell mediated “missing-self” recognition. **PlosOne**. 11: e0153236. PMID: 27054584
76. Utzschneider, D.T., Charmoy, M., Chennupati, V., Pousse, L., Ferreira, D.P., Calderon-Copete, S., Danilo, M., Alfei, F., Hofmann, M., Wieland, D., Pradervand, S., Thimme, R., Zehn, D\* and **Held, W\***. 2016. T cell factor 1-expressing memory-like CD8+ T cells sustain the immune response to chronic viral infections. **Immunity**. 16: 415-27. PMID: 27533016

77. Wieland, D., Kemming, J., Schuch, A., Emmerich, F., Knolle, P., Neumann-Haefelin, C., **Held, W.**, Zehn, D., Hofmann, M. and Thimme, R. 2017. TCF1 defines Hepatitis C virus-specific CD8+ T cells that are maintained after removal of chronic antigen stimulation. **Nat. Comm.** 5: 15050. PMID: 28466857
78. Jeevan-Raj, B., Gehrig, J., Charmoy, M., Chennupati, V., Grandclément, C., Angelino, P., Delorenzi, M. and **Held, W.** 2017. The transcription factor Tcf1 contributes to normal NK cell development and function by limiting the expression of Granzymes. **Cell Reports**. 18: 613-626. PMID: 28723565
79. Abbuehl, J.P., Tatarova, Z., **Held, W.** and Huelsken, J. 2017. Long-term engraftment of primary bone marrow stromal cells repairs niche damage and progenitors improves hematopoietic stem cell transplantation. **Cell Stem Cell**. 21: 241-255. PMID: 28777945
80. Danilo, M., Chennupati, V., Gomes Silva, J., Siegert, S. and **Held, W.** 2018. Suppression of Tcf1 by inflammatory cytokines facilitates effector CD8 T cell differentiation. **Cell Reports**. 22: 2107-2117. PMID: 29466737.
81. Lan, Q., Peyvandi, S., Duffey, N., Huang, Y., Barras, D., **Held, W.**, Richard, F., Delorenzi, M., Sotiriou, C., Desmedt, C., Lorusso, C., and Ruegg, C. 2018. Type I interferon/IRF7 axis instigates chemotherapy-induced immunological dormancy in breast cancer. **Oncogene**. doi: 10.1038/s41388-018-0624-2. PMID: 30546090.
82. Siddiqui, I., Schaeuble, L., Chennupati, V., Fuertes Marraco, S. A., Calderon-Copete, S., Pais Ferreira, D., Carmona, S. J., Scarpellino, L., Gfeller, D., Pradervand, S., Luther, S. A. Speiser, D. E. and **Held, W.** 2019. Intratumoral Tcf1+ PD-1+ CD8+ T cells with stem-like properties promote tumor control in response to vaccination and checkpoint blockade immunotherapy. **Immunity**. 50, 195–211. PMID: 30635237
83. Niogret, C., Miah, S., Rota, G., Fonta, N., Wang, H., **Held, W.**, Birchmeir, W., Sexl, V., Yang, W., Vivier, E., Ho, P.C., Brossay, L. and Guarda, G. 2019. Shp-2 is critical for ERK and metabolic engagement downstream of IL-15 receptor in NK cells. **Nat. Commun.** 10: 1444. doi: 10.1038/s41467-019-09431-3. PMID: 30926899
84. Luong-Gardiol, N., Siddiqui, I., Pizzitola, I., Jeevan-Raj, B., Charmoy, M., Huang, Y., Irmisch, A., Curtet, S., Angelov, G.A., Danilo, M., Juilland, M., Bornhauser, B., Thome, M., Hantschel, O., Chalandon, Y., Cazzaniga, G., Bourquin, J.-P., Huelsken, J., and **Held, W.** 2019. g-catenin-dependent signals maintain BCR-ABL1+ B cell acute lymphoblastic leukemia. **Cancer Cell**. 35, 649-663. PMID: 30991025.
85. Carmona, S.J., Siddiqui, I., Bilous, M., **Held, W.**, and Gfeller, D. 2020. Deciphering the transcriptomic landscape of tumor-infiltrating CD8 lymphocytes in B16 melanoma tumors with single-cell RNA-Seq. **Oncoimmun.** 9:1737369. PMID: 32313720.
86. Welten, S.P.M., Yermanos, A., Baumann, N.S., Wagen, F., Oetiker, N., Sandu, I., Pedrioli, A., Oduro, J.D., Reddy, S., Cicin-Sain, L., **Held, W.**, and Oxenius, A., 2020. Tcf1+ cells are required to maintain the inflationary T cell pool upon CMV infection. **Nat. Commun.** 11:2295. **PMID:** 32385253

87. Pais Ferreira, D., Gomes Silva, J., Wyss, T., Fuertes Marraco, S. A., Scarpellino, L., Charmoy, M., Maas, R., Siddiqui, I., Tang, L., Joyce, J. A., Delorenzi, M., Luther, S.A., Speiser, D.E. and **Held, W.** (2020). Central memory CD8<sup>+</sup> T cells arise independent of cytotoxic differentiation from effector stage T<sub>cf</sub><sup>7hi</sup> cells with stem-like traits. **Immunity**. In press

#### Primary research publications (not peer reviewed)

88. Fuertes Marraco, S.A, Bovay, A., Nassiri, S., Maby-El Hajjami, H., Ouertatani-Sakouhi, H., Held, W. and Speiser, D.E. 2019. The human CD8 T stem cell-like memory phenotype appears in the acute phase in Yellow Fever virus vaccination. **bioRxiv**. <https://t.co/UjYCma0E88> or

#### Reviews, editorials, book chapters

89. Acha-Orbea, H., **Held, W.**, Scarpellino, L. and Shakhov, A.N. 1992. MIs: a link between immunology and retrovirology. **Int. Rev. Immunol.** 8: 327-336.
90. Acha-Orbea, H., Waanders, G., Shakhov, A.N. and **Held, W.** 1992. Infectious minor lymphocyte stimulating (MIs) antigens. **Seminars in Immunology.** 4: 297-303.
91. Acha-Orbea, H., **Held, W.**, Waanders, G.A., Shakhov, A.N., Scarpellino, L., Lees, R.K. and H.R. MacDonald. 1993. Exogenous and endogenous mouse mammary tumor virus superantigens. **Immunol. Rev.** 131: 5-25.
92. **Held, W.**, Acha-Orbea, H., MacDonald, H.R. and Waanders, G.A. 1994. Superantigens and retroviral infection: insights from mouse mammary tumor virus. **Immunol. Today** 15: 184-190.
93. Raulet, D.H. and **Held, W.** 1995. Natural killer cell receptors: The On's and Off's of NK cell recognition. **Cell** 82: 697-700.
94. Raulet, D.H., **Held, W.**, Correa, I., Dorfman, J., Wu M.-F. and Coral, L. 1997. Specificity, Tolerance and developmental regulation of natural killer cells defined by expression of class I-specific Ly49 receptors. **Immunol. Rev.** 155: 41-52.
95. **Held, W.**, Kunz, B., Ioannidis, V. and Lowin-Kropf, B. 1999. Mono-allelic Ly49 NK cell receptor expression. **Seminars in Immunology** 11: 349-355
96. **Held, W.**, Lowin-Kropf, B. and Raulet, D.H. 2000. Generation of short term murine natural killer cell clones to analyze Ly49 gene expression. *In: Methods in Molecular Biology: Natural Killer Cell Protocols. Edited by K.S. Campbell and M. Colonna. Humana Press Inc. Totawa NJ. 121: 5-12.*
97. MacDonald, H.R. and **Held, W.** 2001. CD8<sup>+</sup> T cell development: CD4 to the rescue. *News & Views. Nature Immunology.* 2: 1091-1092.
98. **Held, W.**, Coudert, J.D. and Zimmer, J. 2003. The NK cell receptor repertoire: Formation, adaptation and exploitation. **Curr. Op. Immunol.** 233-237.



99. **Held, W.**, Chalifour, A. and Coudert, J.D. 2005. Regulation of natural killer cell function: a role for the NK cells' own MHC class I molecules. **Medical Microbiol. and Immunol.** 194: 169-174.
100. Coudert, J.D. and **Held, W.** 2006. The role of NKG2D for tumor immunity. **Seminars in Cancer Biology.** 16: 333-343.
101. **Held, W.** and Mariuzza, R.A. 2008. *Cis* interactions of immunoreceptors with MHC and non-MHC ligands. **Nature Reviews Immunology.** 8: 269-278
102. **Held, W.** 2008. Inside Blood: Inhibitions in NK cell maturation. **Blood.** 112: 8-9.
103. **Held, W.** 2008. Reactivity and tolerance of NK cells: Two sides of the same coin? **Eur. J. Immunol.** 38: 2930-2933.
104. **Held, W.** 2009. NKG2D receptor and cancer. *In: Encyclopedia of Cancer, 2<sup>nd</sup> Edition. Edited by M. Schwab.* Springer. Heidelberg, Germany.
105. Huelsken, J. and **Held, W.** 2009. Canonical wnt signaling plays essential roles. **Eur. J. Immunol.** 25: 3582-3583.
106. Back, J., Scarpellino, L. and **Held, W.** 2010. Probing the interactions of NK cell receptors with ligand expressed in *trans* and *cis*. *In: Methods in Molecular Biology Natural Killer Cell Protocols. Edited by K.S. Campbell.* Humana Press Inc. Totawa NJ. 612: 313-323.
107. **Held, W.** 2010. Inside Blood: A KIR - TLR connection. **Blood.** 116: 1629-1630.
108. **Held, W.**, Kijima, M., Angelov, G. and Bessoles, S. 2011. The function of Natural Killer cells: Education, reminders and some good memories. **Curr. Op. Immunol.** 23: 228-233.
109. **Held, W.**, and Mariuzza, R.A. 2011. *Cis-trans* interactions of cell surface receptors: biological roles and structural basis. **Cellular and Molecular Life Sciences.** 8: 3469-3478.
110. **Held, W.** 2012. Nonclassical NK cell education. News & Views. **Nature Immunology.** 13: 1135-1138.
111. **Held, W.** 2013. Inhibitory receptors and their mode of action: Key insights from Natural Killer cells. **J. Immunol.** 191: 3489-3490.
112. Bessoles, S., Grandclément, C., Alari-Pahissa, E., Gehrig, J., Jeevan-Raj, B and **Held, W.** 2014. Adaptations of Natural Killer cells to self-MHC class I. **Front. Immunol.** 5: 349. PMID: 25101089sx
113. Alari-Pahissa, E., Grandclément, C., Jeevan-Raj, B. and **Held, W.** 2014. Inhibitory receptor mediated regulation of NK cells. **Crit. Rev. Immunol.** 34: 455-465. PMID: 25597309
114. Chennupati, V. and **Held, W.** 2017. Feeling exhausted? Tuning Irf4 energizes dysfunctional T cells. **Immunity.** 47: 1009-1011. PMID: 29262341
115. **Held, W.**, Jeevan-Raj, B. and Charmoy, M. 2018. Transcriptional regulation of murine Natural Killer cell development, differentiation and maturation. **Cellular and Molecular Life Sciences.** 75: 3371-3379. PMID: 29959459

116. Blank, C., Haining, N. C., **Held, W.**, Hogan, P. G., Kallies, A., Lugli, E., Lynn, R., Philip, M., Rao, A., Restifo, N., Schietinger, A., Schumacher, T., Schwartzberg, P., Sharpe, A., Speiser, D.E., Wherry, E. J. Youngblood, B. and Zehn, D. 2019. Viewpoint: Defining T cell 'exhaustion'. **Nat. Rev. Immunol.** 19: 665-674. PMID: 31570879
117. **Held, W.**, Siddiqui, I., Schaeuble, K. and Speiser, D.E. Intratumoral CD8<sup>+</sup> T cells with stem cell-like properties: Implications for cancer immunotherapy. 2019. **Sci. Transl. Med.:** 11: eaay6863. PMID: 31645454
118. Speiser, D.E., and **Held, W.** 2020. Stemming the tide of cancer. **The Scientist.** 07/08: 41-45.