

Publications 2003 - DBCM

T. Borsello, K. Croquelois, J.P. Hornung and P.G.H. Clarke. NMDA-triggered neuronal death in organotypic hippocampal cultures is endocytic, autophagic and mediated by the JNK pathway. *Eur. J. Neurosci.* 18, 473-485 (2003).

T. Borsello, P.G.H. Clarke, L. Hirt, A. Vercelli, M. Repici, D.F. Schorderet, J. Bogousslavsky & C. Bonny. A peptide inhibitor of c-Jun N-terminal kinase protects against excitotoxicity and cerebral ischemia. *Nature Medecine* 9, 1180-1186 (2003).

T. Borsello, R. Bressoud, V. Mottier, N. González, G. Gomez and P.G.H. Clarke. Kainate-induced endocytosis in retinal amacrine cells. *J. Comp. Neurol.* 465, 286-295 (2003).

Bouras C., B.M. Riederer, P.R. Hof, and P. Giannakopoulos, 2003 "Induction of MC-1 immunoreactivity in neurons after injection of the Fc fragment of human immunoglobulins in macaque monkeys ". *Acta Neuropathol.*, 105: 58-64.

Brody SA, Conquet F, Geyer MA. Disruption of prepulse inhibition in mice lacking mGluR1. *Eur J Neurosci.* 2003 Dec;18(12):3361-6.

Brody SA, Conquet F, Geyer MA. Effect of antipsychotic treatment on the prepulse inhibition deficit of mGluR5 knockout mice. *Psychopharmacology (Berl)*. 2004 Mar;172(2):187-95. Epub 2003 Nov 13.

Burcelin R, Crivelli V, Perrin C, Da Costa A, Mu J, Kahn BB, Birnbaum MJ, Kahn CR, Vollenweider P, Thorens B. GLUT4, AMP kinase, but not the insulin receptor, are required for hepatportal glucose sensor-stimulated muscle glucose utilization. *J Clin Invest.* 2003 May;111(10):1555-62.

Burkhalter, J., Fiumelli, H., Allaman, I., Chatton, J.-Y., Martin, J.-L. (2003) Brain-derived neurotrophic factor stimulates energy metabolism in developing cortical neurons. *J. Neurosci.* 23:8212-8220.

Chatton, J.-Y., Pellerin, L., Magistretti, P.J. (2003). GABA uptake into astrocytes is not associated with significant metabolic cost: implications for brain imaging of inhibitory transmission. *Proc. Natl. Acad. Sci. USA* 100:12456-124661.

Christen-Zaech S, Kraftsik R, Pillecuit O, Kiraly M, Martins R, Khalili K, Miklossy J. Early olfactory involvement in Alzheimer's disease. *Can J Neurol Sci.* 2003 Feb;30(1):20-5.

Dobrova, I., Waeber, G., Mooser, V., James, R.W., and Widmann, C. (2003). LDLs induce cell spreading independently of the LDL receptor via activation of the p38 MAPK pathway. *J. Lipid Res* 44, 2382-2390.

Ezrokhi VL, Korshunov VA, Markevich VA, Voronin LL, Welker E, Zajchenko MI. Stimulation of the lateral hypothalamus provokes the initiation of robust long-term potentiation of the thalamo-cortical input to the barrel field of the adult, freely moving rat. *Zh Vyssh Nerv Deiat Im I P Pavlova.* 2003 Sep-Oct;53(5):641-50.

Gubellini P, Saulle E, Centonze D, Costa C, Tropepi D, Bernardi G, Conquet F, Calabresi P. Corticostriatal LTP requires combined mGluR1 and mGluR5 activation. *Neuropharmacology*. 2003 Jan;44(1):8-16.

Helbecque N., J.-A. Haefliger, A. Abderrhamani, B.M. Riederer, V. Mooser, J. Miklossy, J. Delplanque, P. Nicod, P. Amouyel, P. Froguel, and G. Weber 2003 "Islet-brain 1/C-Jun N-terminal Kinase Interacting Protein-1 (IB1/JIP-1) promoter variant is associated, with Alzheimer's disease". *Molecular Psychiatry*, 8: 363.

Hornung, J.P. (2003) The human raphe nuclei and the serotonergic system. *J.Chem.Neuroanat.*, 26:331-343 (review)

S.Kasas, G.Dumas, G. Dietler, S. Catsicas and M. Adrian "Vitrification of cryoelectron microscopy samples revealed by high speed imaging" *J. Microscopy*, 211,48-53 (2003)

S. Kasas, G. Dumas, and G. Dietler, "Fast processes imaging device" in *Am.J.Phys.*, 71,433-494, (2003)

KIM, M.O., LI, S., PARK, M.S., HORNUNG, J.P. (2003) Early fetal expression of GABA_{B1} and GABA_{B2} receptor mRNAs on the development of the rat central nervous system. *Dev. Brain Res.*, 143:47-55

Lapointe V, Morin F, Ratte S, Croce A, Conquet F, Lacaille JC. Synapse-specific mGluR1-dependent long-term potentiation in interneurons regulates mouse hippocampal inhibition. *J Physiol*. 2004 Feb 15;555(Pt 1):125-35. Epub 2003 Dec 12.

Magara F, Haefliger JA, Thompson N, Riederer B, Welker E, Nicod P, Waeber G. Increased vulnerability to kainic acid-induced epileptic seizures in mice underexpressing the scaffold protein Islet-Brain 1/JIP-1. *Eur J Neurosci*. 2003 Jun;17(12):2602-10.

Magistretti, P. J., L. Pellerin, et al. (2003). "Energy on demand: a mechanism for astrocyte-neuron metabolic coupling." *Journal of Neurochemistry* 85: 2-2.

Morgenthaler, F.D., Knott, G.W., Sarria, J-C.F., Xin Wang, X., Staple, J.K., Catsicas, S., and Harald Hirling (2003) Morphological and molecular heterogeneity in release sites of single neurons. Accepted for publication Jan 2003, *European Journal of Neuroscience*.

Musumeci E., B. Duvoisin, F.J.W. Lang, and B.M. Riederer 2003 "Plastinated ethmoidal region: I Preparation and application in clinical teaching". *J. Soc. Plast.* 18: 23-28.

Musumeci E., F.J.W. Lang, B. Duvoisin, and B.M. Riederer 2003 "Plastinated ethmoidal region: II. The preparation and use of radio-opaque artery casts in clinical teaching". *J. Soc. Plast.* 18: 29-33.

Nano M, Dal Corso H, Ferronato M, Solej M, Hornung JP. Can intestinal innervation be preserved in pancreatoduodenectomy for cancer? Results of an anatomical study. *Surg Radiol Anat*. 2003 Apr;25(1):1-5. Epub 2003 Feb 25.

Plaisance, P. V., A. Abderrahmani, et al. (2003). "Cell-specific expression of the c-jun NH2 terminal kinase Interacting Protein 1 (JIP-1/IB1) requires the silencing of Sp1 by the transcriptional repressor REST." *Diabetologia* 46: A156-A156.

Porchet R., A. Probst, E. Dráberova, P. Dráber, I.M. Riederer and B.M. Riederer 2003 "Differential subcellular localization of phosphorylated neurofilament and tau proteins in degenerating neurons of the human entorhinal cortex". *Neuroreport*, 14: 929-933.

Porchet R., A. Probst, C. Bouras, E. Dráberova, P. Dráber, and B.M. Riederer 2003 "Analysis of GFAP in the human entorhinal cortex during aging and in Alzheimer's disease". *Proteomics*, 3: 1478-1485. Cover image in *Proteomics* 3, 2003

A. Radenovic, E. Bystrenova, L. Libiuolle, F. Valle, G. T. Shubeita, S. Kasas and G. Dietler. Characterization of atomic force microscope probes at low temperatures, *J. Appl. Phys* 94 : 4210-4214 (2003)

Ravary A, Muzerelle A, Herve D, Pascoli V, Ba-Charvet KN, Girault JA, Welker E, Gaspar P. Adenylate cyclase 1 as a key actor in the refinement of retinal projection maps. *J Neurosci*. 2003 Mar 15;23(6):2228-38.

Riederer I.M., C. Pfulg, C. Bouras, P. Giannakopoulos, and B.M. Riederer 2003 "Human immunoglobulins and Fc fragments promote microtubule assembly via tau proteins and induce conformational changes of neuronal microtubules *in vitro*". *Neuroreport*, 14: 117-121.

Riederer I.M., P. Robert, R.Porchet, J. Eyer, and B.M. Riederer 2003 "Selective changes in the neuronal cytoskeleton of NF-H/LacZ mice". *J.Neurosci. Res.*, 71: 196-207.

Savioz A.*, B.M. Riederer*, P.Heutink, P. Rizzu, M. Tolnay, E. Kövari, A. Probst, I.M. Riederer, C. Bouras, G. Leuba, 2003 "Tau and neurofilaments in a family with frontotemporal dementia unlinked to chromosome 17q21-22". *Neurobiology of Disease*, 12: 46-55. *Both authors have contributed equally to the work.

Shaw M., and B.M. Riederer 2003 "Sample preparation for two-dimensional gel electrophoresis". *Proteomics*, 3: 1408-1417.

M. Schenker, R. Kratsik, L. Glauser, T. Kuntzer, J. Bogousslavsky and I. Walter-Barakat . Thyroid hormone reduces the loss of axotomised sensory neurons in dorsal root ganglia after sciatic nerve transection in adult rat. *Experimental Neurology*.184: 225-236 (2003)

Stoop R, Conquet F, Zuber B, Voronin LL, Pralong E. Activation of metabotropic glutamate 5 and NMDA receptors underlies the induction of persistent bursting and associated long-lasting changes in CA3 recurrent connections. *J Neurosci*. 2003 Jul 2;23(13):5634-44.

Stoop R, Conquet F, Pralong E. Determination of group I metabotropic glutamate receptor subtypes involved in the frequency of epileptiform activity *in vitro* using mGluR1 and mGluR5 mutant mice. *Neuropharmacology*. 2003 Feb;44(2):157-62.

N.H. Thomson¹, S. Kasas, B.M. Riederer, S. Catsicas, G. Dietler, A.J. Kulik, L. Forró "Large fluctuations in the disassembly rate of microtubules revealed by Atomic Force Microscopy", *Ultramicroscopy*, 97 :239-247 (2003)

Volterra, A., M. Domercq, et al. (2003). "Stimulus-secretion coupling in astrocytes and signaling to the synapse." *Glia*: 3-4.

Voutsinos-Porche, B., Bonvento, G., Tanaka, K., Welker, E., Chatton, J.-Y., Magistretti, P.J., Pellerin L. (2003) Glial glutamate transporters mediate a functional metabolic crosstalk between neurons and astrocytes in the mouse developing cortex. *Neuron* 37:275-286.

Voutsinos-Porche B., Knott, G., Tanaka K., Quairiaux C., Welker E., Bonvento G. (2003) Glial glutamate transporters and maturation of the mouse somatosensory cortex. *Cereb Cortex*. 10, 1110-21.

Waselle, L., Coppola, T., Fukuda, M., Iezzi, M., El-Amraoui, A., Petit, C. and Regazzi, R. Involvement of the Rab27 binding protein Slac2c/MyRIP in insulin exocytosis. (2003) *Mol. Biol. Cell* 14, 4103-4113.

A. Yersin., S. Kasas, H. Hirling, P. Steiner and S. Catsicas, G. Dietler, P. De Los Rios, R. Regazzi (2003). Linking functional genomics and screening for new drugs. *Laborwelt*. 4, 26-27.

Yersin, A., Hirling, H., Steiner, P., Magnin, S., Regazzi, R., Hüni, B., Huguenot, P., De Los Rios, P., Dietler, G., Catsicas, S. and Kasas, S. Interactions between synaptic vesicle fusion proteins explored by atomic force microscopy. (2003) *Proc. Natl. Acad. Sci. USA*, 100, 8736-8741.